Specialty Tools

Shop Tools

4 Piece Stud **Remover Set**

SKU **391368 3000** 27136 (SAE)

27140 (Metric) **30**00 STORE STOCK



Bushing Driver Set SKU **391369 ____00**

27137 STORE STOCK

· Used to Install and Remove Small and Medium Sized Bushings



Install 6, 8, 10 and 12 mm Studs

Fuel Pump Replacement Kit

SKU **605758 0 1 00** 27160

STORE STOCK

• For Fuel Pumps Located in the Fuel Tank

of the Vehicle • Kit Includes: Soft Faced Hammer, Fuel Line Disconnects for Chrysler, Ford and GM, Non-Ferrous Punch for Removal of Fuel Pump Retainer Rings, Fuel Pump Module Adjustable Wrench for Chrysler In-Tank Fuel Pump Modules



Fuel Pump Module Spanner Wrench

SKU 110278 25156

• Removes and Installs the Fuel Pump Retrieving Ring that Holds the Fuel Pump Module Onto the Gas Tank



16 Piece Mechanic's **Punch and Chisel Set**

SKU 914624 **1** 25515

• Includes: 5 Taper Punches, 5 Pin Punches, 2 Center Punches, 3 Cold Chisels and 1 Chisel Gauge

Mechanic's Stethoscope

SKU **070131 199** 25210

STORE STOCK

• Locate Troubles in Engines, Bearings and Other Moving Parts Fast and Easy



Extended Scraper

SKU **070133 199** 25500

STORE STOCK

• Removes Carbon and Old Gasket Materials from Engine Parts

Razor Blades

(100 Pack)

SKU **070127 199** 25181

STORE STOCK

 Resealable Safety Dispenser Holding 100 #9 Razor Blades



GENERAL 3 Piece Ultra Tech **Lighted Tweezers Set**

SKU186542 2999 GTC70400



• 3 Piece Set Pointed, Bent

and Blunt Tips LED Light Push On/Push Off

Non Slip Comfort Grips Includes 3 "LR41"

Professional Snap Ring Plier Set

SKU **141502** 25356

STORE STOCK

10 Piece

Snap Ring

Plier Set

SKU 900819

• Operates Both Internal

and External Rings

27180

- 180°, 90° and 45° in One
- Tip Size: 0.8mm, 1.2mm, 1.4mm, 2.0mm



• Includes Short Blade Scraper, 1/2" Carbon Scraper, Long Blade Scraper, Cotter Key Puller and Pick and Hook

4 Piece 15" Jumbo **Pick Set**

SKU **094658**

25940

 Includes: Straight Pick, 90° Pick, Offset Pick and Hook Pick



4 Piece **Scraper Set**

SKU 915392 25514

3 Piece

Heavy Duty

SKU **900808**

1-1/2" x 10" • Sizes: 25", 17"

and 12"

Set Includes

1/2" x 10", 3/4" x 10", 1" x 10" and

3 Piece **Dead Blow Hammer Set**

SKU 900804 4 25517

- Includes 1/2 Lb, 1 Lb and 2 Lbs Soft Rubber Handles
- for Non-Slip Grip

*While Supplies Last



• Carbon Steel **Pry Bar Set**

with Heat Treated Square Shanks

OEM

OEM'



STORE STOCK

• Two Tops Fit All Seal Sizes

Batteries

Exhaust **Donut Stretcher**

SKU **390901 199** 25543

• Easily Grabs onto Mounting Rubber Rings or Doughnut used on Many Exhaust Systems

Exhaust Tools



27027 STORE STOCK

 Expands Tail Pipes so Mufflers and Tail Pipes Can be Fitted to the Exhaust System



Tailpipe Expander 2-1/8" to 3-7/16"

SKU 110585 3500 27028

STORE STOCK

 Expands Tail Pipes so Mufflers and Tail Pipes Can be Fitted to the Exhaust System



Exhaust Manifold Spreader

SKU 191674 099 25253

• A Simple Way to Expand a Warped Manifold So All Bolt Holes Are Accurately Aligned



Tailpipe Cutter SKU 111609 **__**

27045

STORE STOCK

• Used to Cut Tail Pipe

• Range 3/4" to 3-1/4" (19-83mm)



15 Piece

27195

Disconnect

Master Set

Disconnect Tool

SKU 900807 3 999

• Includes Fuel and Transmis-

sion Line Disconnect Set.

Oil Cooler Line Remover, Air

Disconnect Tools

Heater Hose Disconnect Tool

SKU 143439 20 27106

STORE STOCK

• Removes Heater Hoses with 5/8" or 1/4" Quick Disconnect Couplings on '86 to Current Ford Aerostar Vans and '01 to Current Full Size Ford Vans

• Works on Rear Heater Hose Couplings on '86 to Current Chrysler and Plymouth

SKU **948999 9499**

25183

STORE STOCK

• Includes: 1/2",

and 7/8"

4 Piece Disconnect Set

Ford/GM Fuel Line Disconnect Set

SKU **391365** 27131

Fuel Line Disconnect SKU **391366** 27132

• 5/16" and 3/8" on Most Chrysler Vehicles

Fuel Module

Disconnect

SKU **291418** 7

Fits Both 3/8" and 5/16"

Together for Convenient

• Tool Can Be Clipped

Connectors and Applications

LIS37500

Storage

Chrysler

• Used to Disconnect Fuel Lines

Fuel Line Disconnect Tool SKU **246367** 25043

STORE STOCK • Fits Any 5/16" or 3/8" Fuel Line Found on GM, Ford, and Chrysler Vehicles

3 Piece 1/2" Oil Line **Disconnect Set**

SKU **094653** 25187 • Used to Remove and Replace



SKU **864648** 25150

4 Piece Disconnect Disc Set

STORE STOCK

• Sizes: 1/4" 1/2" 5/16 and 3/8'



Disconnect **Tool Set**

SKU **291413** LIS39900



Can Be Stored In a Handy Blow-Molded Case • All Disconnect Tools Are Also Available

Ford Clutch Disconnect Tool

27130

• Reaches and Disconnects

• Works on 1988 to Present Ford Vehicles and Light Trucks with Hydraulic Clutches

A/C and Fuel Line **Quick Connect** Tools

SKU **002356 199** 25052

STORE STOCK

• Easily Disconnects Air Conditioning Lines and Quick Connect Fuel Lines

A/C and **Fuel Line** Disconnect **Tool Set**

SKU **246366 699** 25042 STORE STOCK



10 Piece Master

25188

1/2 Oil, 16mm / 3/8", 13mm / 1/2", 19mm / 3/4", 22mm / 7/8"



Angled Disconnect Set SKU 291416 2099

LIS39400 • Disconnects spring lock couplings

- on Ford and Chrysler AC lines • Works On Fuel Lines and Other Quick Disconnect Couplings On
- Domestic and Import Vehicles • Six sizes 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

22 Piece

27177

Disconnect

Master Set

SKU 900817 **7**099

Includes Quick Connects

Set, Air Conditioning and Fuel Line Disconnect Tools






Separates Automatic Transmission Oil Cooler Lines on Ford Taurus and Escort with AXOD



Quick Connect Tools SKU **363869** 25184 STORE STOCK



 Enables Quick and Easy Disconnect of Air Conditioning Couplings



SKU **391364 __00**







Disconnect Set SKU **265109 2 199**

• Sizes: 9.5mm / 3/8", 8mm/ 5/16", 9.5mm / 3/8" Cooler Line, 9.5mm / 3/8" Oil Cooler Line, (2)



NEW

SKU **970541 2999** 25182 25182



and ATX Transmissions

Tool & Equipment Quarterly

Specialty Tools

Thread Repair

UNC (Coarse) Series Kits - SAE

SKU	Part No.	Size	Price	
516462	25600	UNC 10 - 24	19.99	8
557009*	25602	UNC 1/4" - 20	21.99	
557017 *	25604	UNC 5/16" - 18	21.99	Ø
557090*	25606	UNC 3/8" - 18	21.99	(
516464*	25608	UNC 7/16" - 14	29.99	
516467*	25610	UNC 1/2" - 13	29.99	

*STORE STOCK

UNC (Coarse) Series Kits - Metric

SKU	Part No.	Size	Price
466584	25624	M58	29.99
516472*	25626	M6 - 1	29.99
516474*	25628	M8 - 1.25	29.99
466586	25630	M10 - 1	29.99
516477*	25632	M10 - 1.15	29.99

UNF (Fine) Series Kits

*STORE STOCK

0.0			
SKU	Part No.	Size	Price
516469	25612	UNF 10 - 32	27.99
466578	25614	UNF 1/4 - 28	29.99
466583	25622	UNF 1/2 - 20	39.99



Thread Repair Inserts

UNC (Coarse) Series - SAE

"STURE STUCK				
SKU	Part No.	Size	Price	
516463	25601	UNC 10 - 24	7.99	
557116*	25603	UNC 1/4" - 20	6.99	
557124*	25605	UNC 5/16" - 18	6.99	
557132*	25607	UNC 3/8" - 16	7.99	
516465*	25609	UNC 7/16" - 14	7.99	
516468*	25611	UNC 1/2" - 13	9.99	
978097	25615	UNC 1/4" - 28	3.99	

UNC (Coarse) Series - Metric

*STORE STOCK

OTOTIL OTOTIK			
SKU	Part No.	Size	Price
516473*	25627	M6 - 1	5.99
516475*	25629	M8 - 1.25	7.99
466587	25631	M10 - 1.0	7.99
516478*	25633	M10 - 1.5	7.99
978102	25635	M12 - 1.75	9.99



UNF (Fine) Series - SAE

*STORE STOCK

SKU	Part No.	Size	Price
516470	25613	UNF 10 - 32	3.99
978101	25623	UNF 1/2" - 20	9.99

Oxygen Sensors

Oxygen Sensor M18 Repair Kit SKU **094872 999** FIX38181X FIX38181X

• Contains All Tools Necessary to Repair Damaged Oxygen Sensor Threads in the Exhaust Manifold



Oxygen Sensor Thread Chaser

SKU **607067 0 99** 25255

STORE STOCK





Extractor Sets



25467 STORE STOCK



• Set Includes Size Extractors: #1, #2, #3, #4, #5 and Bits: 5/64", 7/64", 5/32", 1/4" and 19/64"



• Works On Both Left and Right Hand Threads • Five Extractor Sizes Extract 1/4"-1/2" and Larger



Spark Plug Thread Repair

14mm Tapered Spark Plug Thread Repair Kit

SKU **141511 1 1 1 9 9 9** 25647 STORE STOCK

 Replaces Threads for 14mm Tapered Spark Plug



14mm Replacement **Inserts**

SKU **141512 199**

25648 STORE STOCK

• 6 Pieces in Sizes M14 - 1.25

• Drill Size: 14.25mm; 9/16"



M14-1.25 Spark Plug Thread Repair System

SKU **557108 9** 25643

STORE STOCK

• Replaces Threads for 14mm Spark Plug



14mm Thread Inserts

SKU **557140 199** 25644

STORE STOCK

• 10 Pieces in Sizes M14 - 1.25 x 3/8",1/2", 3/4"

• Drill Size: 14.25mm; 9/16"



SKU 789141 3 9 99 25640

• Kit Includes: 3 Thread Inserts, Thread Installer Tool and Thread Tap



14mm Cylinder Head Rethreader Kit

SKU 265137 **1 699**

• Tap is Designed for Aluminum Heads Only • Set Includes Combination Tap, Reamer and Locking Compound

• And 3/8", 7/16", 1/2" and 3/4" Inserts

Spark Plug Thread Repair Inserts M12-1.25

SKU **978103 199** 25641

• Includes 10 Thread Inserts



000 0000

OEM

Thread Restoring File, Tap and Die Kit

SKU 391372 **0 0** 00 27142

STORE STOCK

• Thread File Metric Pitches: .75, 1,

1.25, 1.50, 1.75, 2, 2.5, and 3mm #2 Thread File Pitches: 11, 12, 13, 14, 16, 18, 20, and 24 Threads Per Inch Thread File Pitches: 9, 10, 12, 16, 20, 27, 28 and 32 Threads Per Inch

Taps: 1/4" - 9/16" Popular Sizes (Course and Fine); 6-14mm Popular Sizes Pitches Dies: 1/4" - 9/16" (Course and Fine)

• These Will Restore Both Left and Right Handed Thread

Thread Chasers

Universal **Outside Thread Chaser**

SKU 466494 **1 4 9 9 9** 25137

• 6 Dies Restore Damaged Threads to Their Original Condition



SKU 070109 6 99

STORE STOCK • Size: 14mm x 18mm



Limited Access Spark Plug Chaser

SKU **607068 99** 25155

STORE STOCK Size: M14 x 1.25



Spark Plug Thread Repair for Ford Triton



Ford Cylinder Repair Set

SKU **104283** 🧑 24200

Comes with **Instructional Video**

• Repair of Ford Triton Modular Engines is Going to Be a Large Issue in Next 5 Years. Ford Triton Engines 1996 – 2003 Have a Problem With Spark Plug Thread Erosion, Resulting in Spark Plug Threads Coming Out During Tune-Up or Shooting Spark Plugs Out During Operation

• Current Repair Takes About 10 Labor Hours, This Tool Cuts Time to 30 Minutes to an Hour

• Works on Ford 4.6, 5.4, 6.8 V10 Engines

• Individual Inserts Available as Part Number 389-100, the Patented Replacement Insert is a Permanent Fix That Does Not Have to Be Replaced with Every Tune-Up

• Patented Guide Makes Drilling and Tapping in a Straight Line Easy

Ford Triton Repair Insert SKU 104287 **2 4** 99

24203





Ford Spark Plug Extractor Set

SKU 104286 2499

24201

• Works to Extract Frozen and Broken Off Spark Plug Sleeves in 2004 to Present Ford Triton Engines

• Specially Machined Guide Works With Extra Long Tap and Extractor to Make Sure the Job is Done Right



Ford Spark Plug Porcelain Extractor Set SKU 104290 799

24202

• Used to Extract the Broken Porcelain from Broken Spark Plugs in 2003 to Current Ford Triton Engines

• In Some Cases the Porcelain Will Break Off in the Sleeve and Will Need to be Extracted in Order for the 39100 to Function Effectively • Unlike Other Tools That Tell You to Push the Porcelain Through the Sleeve (Ford Says Specifically Not to Do This). This Tool Adheres to the Porcelain Using a Special Adhesive and Then Allows a User to Extract the Broken

Porcelain from the Sleeve Loctite 608005ml

Replacement Adhesive SKU **248475 199**

24204

Replacement Pins

SKU **248476 199**

Ford Spark Plug Socket SKU **110450**

6900 • Use on 2004–Newer Ford Vehicles with 5.4L, 4.6L, 5.4L, 3-Valve Triton V8 and 6.8L Triton V10 Engines

• Socket End is 9/16". Soft Rubber Insert

Holds and Protects Spark Plug During Removal and Installation • Socket Has a 3/8" Drive for Use with a Ratchet or Breaker Bar

3/8" Drive 9/16" Spark Plug Socket OFM

SKU **265110 1099**



Ford Triton Plug-Saver® Kit SKU **094873** FIX98140T

• Made with Chrome Vanadium

steel for strength

• Designed to Specifically Repair the Spark Plug Ports in 4.6, 5.4 and 6.8 Ford Triton Engines

Inserts (Pack of 8) SKU 110263 7799 FIX98149P 🔺



Tool & Equipment Quarterly

Questions? Call AutoZone® **Tool & Equipment Customer Service:** 1-877-AZTool1 (1-877-298-6651)



Specialty Tools

Rivet Tools OEM[®]

360° Rotating

Head Riveter SKU **291357 7 199** 25920

- 360° Rotating Hand Riveter
- · Comes with rivet nozzles in sizes: 3/32" (4 MM), 1/8" (3.2 MM), 5/32" (4.0 MM) and 3/16" (4.8 MM)

Industrial Riveter

SKU **291353 4999** 25021 25921

- For use with steel and aluminum rivets noses: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)
- 18" Overall Size with Long Handle Provide More Leverage.



Deluxe Riveter

Professional

Riveter HP2®

MAR39000HP2 2

5/32" and 3/16

• Sets Up to 3/16" Steel Rivets

• Mounted Nosepieces: 3/32", 1/8",

SKU **094876**

SKU **094879** MAR39003Kit **3899** Stainless Steel

SKU **094877** MAR39001Kit **3**

The Choice of Professionals

- Kit Includes HP2 Riveter. (Sets Up to 3/16" Diameter Rivets), 200 Rivets and Molded Case
- 39003 Same as 39001 but Contains 200 Assorted Klik-Fast Stainless Steel Rivets



Poly Nut™ Kit SKU **094887**

MAR39302

- (SAE)
- Includes the 39200 Thread-Setter Tool with 8-32, 10-32 and 1/4-20 Mandrels and Nosepieces and Wrench
- Contains 44 Assorted Klik Poly-Nuts

SKU 094888 12499 MAR39303 (Metric)

Professional Riveter HP3®

This Multi-Functional Hand Rivet Tool Offers Long, Ergonomically Designed Handles to Increase Leverage, and to Secure the Rivet in the Nosepiece While the Tool is in Use, in Any Position



• Includes: 4 Standard Nosepieces to Set 3/32", 1/8", 5/32" and 3/16". Blind Rivets in All Alloys

Big Daddy® Hand Riveter

SKU **094886** MAR39031

The Big Daddy is the Most Versatile and Powerful Hand Riveter. **Sets Large Diameter Blind Rivets**

 Double Gear Reduction System Easily Sets from 1/8" to 1/4"

Diameter Klik-Fast Rivets in All Alloys Including 1/4" Klik-Split® Rivets

Comes with 5/32", 3/16" and 1/4"

Nosepieces Stored in the Body

Klik-Turn **Sp-1 Hand Rivet Tool**

SKU **094881 2799** MAR39005

10 Ton

Porto Power Kit

Job Done Right

• 1/2 Ton Capacity

SKU **964663 329 99** PPBB65115

• The 10 Ton Capacity Model Gives You

the Extra Muscle You Need to Get the

Patented Positive-Ratchet Locking Feature • Includes: 3/32", 1/8", 5/32" Allows the Swivel Head to Turn 360° and Hold in Place in any of 40 Positions



and 3/16" Nosepieces

Porta Power Kits

4 Ton Body Repair Kit

SKU **964654** OMG50040

- Quick Connect Technology for Effortless Assembly of Attachments • Safety Overload Mechanism to Prevent Ram and Cylinder Damage
- Chrome Plated Cam for Longer Service
- Perfect Fit Attachments
- 14 Attachments Included

10 Ton Body Repair Kit

SKU 964656 28 799 OMG50100

- Quick Connect Technology for Effortless Assembly of Attachments to Meet Your Pushing and Pulling Needs
- Custom Fitted Molded Case has Roller Wheels for Easy Portability
- Safety Overload Mechanism to Prevent Ram and Cylinder Damage • Includes: Hand Pump, Hydraulic Hose, 10 Ton Ram, 18", 10", 4-1/8" and 28" Extension Tubes, Male Connector, Wedge Head, Serrated Saddle, Flat Base, Ram Toe, Plunger Toe, Rubber Head, 90° Combination Head, Spreader, Dust Cover (for Hose), Dust Cover (for Ram), Hose Coupler Ram Coupler and Molded Case





Porta Power Kits

4 Ton Porto Power Kit

SKU **964658** PPBB65114

- 4-Ton Capacity Gives You the Pushing and Spreading Power You Need
- 1/2 Ton Capacity Hydraulic Spreader Features Jaws and Spreads from 5/8" to 3-3/4"





SKU **964667** PPBB65139

- Ideal for Applications in Limited Spaces
- Four Adapters for Added Height
- Chrome Plated



Spring Compressors



StrutTamer™ Extreme Spring Compressor SKU 110446 **Q 7 1** 99

Simply the Most Effective Compressor for Virtually Any Straight, Conical, or Offset Spring.

- Extreme Duty Design to Handle the Heavier Springs Found on Mid- and Some Full-Size Truck Strut Assemblies
- 2:1 Reduction Gearbox Standard. Allows for a 2:1 Torque Compression Increase When Compressing Struts
- The Arms Adjust In and Out, Up and Down, to Accept Many Sizes of Springs. (2-1/2" to 10" Diameter) (2-1/2" to 24" Vertical Stroke)

OEM[®]



- Lock Rings to Hold Arms In Position Standard. This Eliminates Arms from Spreading or Sliding When Compressing Offset or Unique Strut Configurations
- Four-Point Locking Jaws Securely Hold the Spring in Place
- Extra Long 3-Bar Handle Gives User the Leverage Needed to Compress Heavier Strut Springs
- Comes With No. 6583 Bridge Accessory to Be Used On Springs That Cannot Be Compressed Enough to Remove the Retain-

Includes StrutTamer Spring Compressor, No. 6587 Gear Box, No. 6583 Bridge Accessory and No. 6582 Mobile Stand



StrutTamer Extreme SKU **112537**

• Used for Any Straight, Conical or Offset Spring • Extreme Duty Design to Handle the Heavier Springs Found on Mid- and Some Full-Size Truck Strut Assemblies

Frame Includes Cross Bracing at Arm Mount Locations Eliminating Frame Flex When Compressing Heavier Springs

- 2:1 Reduction Gearbox Standard
- Lock Rings to Hold Arms in Position Eliminating Spreading or
- Sliding When Compressing Offset or Unique Strut Configurations • Extra Long 3-Bar Handle Gives User the Leverage Needed to
- Compress Heavier Strut Springs

Free Shipping!

Strut Spring /

SKU **094802** 27203

999



Coil Spring Compressor

SKU **555573** 2/035 STORE STOCK

• Used to Compress the Coil Spring in the Installation of Coil

Spring Spacers



SKU **948079**

STORE STOCK

27162

Oxygen Sensor Wrench

• Use with Oxygen Sensors on

Ford 4.6 and 5.4 Engines

• 7/8"/22mm Used in

W-Body Strut Service Kit SKU **069343 OEM**°

27034

11000 STORE STOCK • Used to Remove and Replace the Strut Cartridge on GM W-Body

Vehicles



OEM[®] **Wall Mount Strut**

Spring Compressor SKU **534403 Q**

BRA7400

- 24" Stroke Compresses to 2"
- Double-Start, Heavy-Duty ACME Threads Handles Heavy Coil Spring Shock Extra Long, Narrow or Angled Springs and F-150 and Toyota RAV4 Without Additional Adapters
- Three-Point Lower Hook Increments Adjust for Uniform Spring Compression; "Common Center" Compression Hooks Fit Between Tightly Wound Coil Springs



OEM'

Pranick

Sensor Sockets

7 Piece Sensor Socket Set

SKU **900823 5999 27189** 27189

· For Removal and Installation of Hard to Reach Oxygen Sensors, Oil Pressure Switches, Oil Pressure Sending Units and Thermal Sensor Switches



3/8" Drive Oxygen **Sensor Socket**

SKU **047738** 25001

STORE STOCK

• For Use with 3/8" Drive Ratchet or 1" Wrench



Water Sensor Socket

SKU **607072** 25369

STORE STOCK

• Remove Water Sensor When Changing the Fuel Filter on GM 6.6L Duramax Diesel Engines

• 3/8" Square Drive



Oil Pressure Switch Socket

SKU **141490 199** 25254

- STORE STOCK
- Fits Most 1" and 1-1/16" Switches
- Accepts Oil Pressure Sending Units up to 2-5/8" Long



Oxygen Sensor Socket Set SKU **272729** 🥠 🔼 **00**

STORE STOCK

Universal Slotted Socket to Service Hex

- Vacuum Switches and Oxygen Sensors
- 3/8" and 1/2" Drive, 22mm/7/8"



Tool & Equipment Quarterly

Mini Circuit

SKU 989209 **199**

• Tests 6/12 Volt Systems

Tester

25936

Specialty Tools

Electrical



• Includes a Wire Stripper/

• 6, 12 and 24 Volt Systems

Cutter/Crimper and a Coiled Cord Circuit Tester

Coiled Cord Circuit Tester

OEM

SKU **422468 199** 25886

STORE STOCK

• 6, 12 and 24 Volt Systems



• Digital Display and Color Coated LED's

 Quick Voltage Readings of Electric Circuits

White = Proper Connection to Source Red = Voltage Present Green = Ground Present



SKU 186535 **1** 099 INN3420

• Designed to Safely Check Voltage and/or Ground on Wiring, Fuses, Battery, Cabling, Sensors, Switches and More

 Connects Using a Cigarette Lighter /
 Power Plug and Detachable Twin Alligator Clamps

 Unique Transparent Handle Shows Bright LEDs to Identify Connections: White = Proper Connection **Red** = Voltage Present **Green** = Ground Present



Relay Test Jumper Set SKU **291333 7 199** LIS56810

• Set Includes Four Jumpers to Fit the Most Popular Size Relays On Domestic and Import Vehicles

• Jumpers Have Tabs for Clamping and Flat Pads to Place Test Leads On



Bulbs SKU **422714 799**

25888 • Replacement Bulb for OEM Circuit Testers: 25018, 25019, 25886 and 25887



25228 (Green) **1499** SKU **255953 7 99**

25229 (Red) • Fits Most GM and Domestic Motors Computer Connectors and Terminals



SKU **312821 199** 25193

• Cushioned Handle Grips





Relay Puller Pliers SKU **291342 7 399** LIS46950

• Works On Many Heavy-Duty and Industrial Applications

Allows Relay to Pop Free From Socket With Less Chance Of Damaging the Relay



SKU **191685** 25192 (Small) 25197 (Large) **1 699**

• Self-adjusts to Wire Sizes: 14AWG to 26AWG





Relay Test Jumper Set II SKU **291341 7099**

Light Shows

Current is

Present

LIS60610 • Set Includes Four Jumpers to Fit Many Popular Relays on Honda, Nissan, Toyota, Newer Ford and GM Mini Micro Relays As Well As International Trucks

In-Line Ignition Spark Tester SKU **900800**

25227 • Ignition Spark Tester for Automotive Troubleshooting



Remote Starter Switch

SKU **265124** 25330

• Heavy Clips With Insulated Sleeves Attach to Ground and Starter Solenoid Switch

Thumb Activated Switch

• 6 Foot Heavy Insulated Wire for Long



Remote Starter Switch LED Indicator **HEAVY DUTY**

SKU 265127 3 999 25331

Heavy Duty, Push Button Remote Starter Allows Technicians to Bump or Crank Engines While Under the Hood

• 5 Foot Heavy Insulated Wire for Long Tool Life

• Heavy Duty Insulated Alligator Clips

Measuring Tools



Measuring Tools

Mechanical Digital Rotor Micrometer

SKU 186497 5499

• 3-1/2" Deep Frame

- Digital Read Out to .001"
- .300 to 1.300" Range



3 Piece **Micrometer Set**

SKU 186503 CEN3M113

- 0 to 3" Range
- 0 to 1" 3m101, 1 to 2" 3m102, 2 to 3" 3m103

SKU **186504 5799** CEN 3K 301

• 0 to 6" Digital Caliper Included

• 8 to 13" Range

Rotor/Drum Measuring Kit

• Attaches to Any Caliper on the Lower Jaws • Outward Facing Anvils to Inspect Drums

• Inward Pointing Anvils to Measure Rotors







The second second

Central TOOLS, Inc.



Angle Finder

SKU 186499 ______ CEN6494

- Measure Auto and Truck Front Ends
- Measure Drive Shaft Angles
- Magnet in Base
- Graduated in ½ Degree Increments

X-Tread Digital Tire Gauge

SKU **186495** FOW74225500 **1499**

• For Tire Tread Thickness Measurement

• Reads in Inch, Metric and Fractions



Disc Brake Rotor Micrometer

SKU **186498** FOW72234422 **5999**

- Easy to Read Digital Counter
- Range is 0.3" to 1.7"
- Ratchet Thimble

Mini MAG **Protractor**

FOW744224501 **59**

- Embedded Magnets with 35 Lbs Pull
- Uses Standard 9v Battery
- 360 Degree Measuring Range • Accuracy -+2 Degrees



Dial Indicator

SKU **186500** FOW72522101 **T**

- Includes 1" Indicator, Magnetic Base Plus Rods, Swivel Clamp and Case
 - 2-1/4" Dial, 001"

Set

RotoCal with **Twin Conical Anvils**

F0W74150004 **5999**

F0W74150020

• Range 0 to 5.5" • Reads in Inch, Metric and Fractions • 3.5" Jaw Depth for

Large Rotors



Disc Brake/Ball **Joint Gage** SKU **186496**

F0W72520757

- Checks Ball Joint Wear and Disc Rotor Run-out
- Checks Gear Backlash and Valve Guide Wear
- 0 to 1" Travel and .001" Graduations







• Dust/Water/Oil Resistant

OEM[®]

Special Price

Measuring Tools

6" Dial Caliper SKU 141504 T 0 99 25362



Step Measurements • Each Division = .001",

 Measuring Surfaces are Each Revolution = .1 Precision Ground and Lapped

Micrometer SKU 607071 📶 🔘 99 25367

Disc Brake Rotor

STORE STOCK • .001" Accuracy, .0005" Reading

• Large LCD Display with SAE or Metric Reading • Manual Power Off/On



OEM° **Electronic Digital** Caliper

OEM

SKU **864649** 25363 STORE STOCK

• Large Easy to Read LCD Display

Brake Drum Caliper⁴

SKU **965840**

• Measure Range: 0-530mm, 0-20.6"

Precision: ±0.02mm

*While Supplies Last

25368

• Zeroing Feature • Thumb Roller with Locking Device

36