



Oil and Lube

25 Gallon Fuel Chief Steel Gas Caddy

NEW

SKU 360585
 DOWFC25GC **649⁹⁹**

- Makes Fuel Transfer Safe and Easy
- Complies with OSHA guidelines - FM approved
- Heavy Duty FM Approved Cast Iron Pump With Carbon Vanes
- Pump - Two-Way Operation for Either Siphoning or Dispensing
- Pump - 1 Gallon for Every 12 Revolutions
- Ground Wire and Clamp
- Fire-Screened Vent and Filler Neck Combination



17 Gallon Steel Low Profile Gravity or Waste Oil Pump Assist Oil Drain

SKU 360666
 DOWJDILP4 **489⁹⁹**

- 25-Gallon Measured Capacity (17-Gallon Evacuation Capacity)
- Low-Profile Drain (9") Fits Under Most Trucks
- Size 48"L x 25"W x 9"H
- 6" Industrial Casters for Easy Handling



- 38" T-Handle Folds Down Flat for Easy Storage
- Drain Can Be Emptied By Gravity Drain, Evacuation Pump or Air Evacuation
- Evacuation Pump or Air Evacuation

Air Evacuation Kit

SKU 360667
 DOWJDIEK **169⁹⁹**

- Covers the DOWJDI-LP4 Into a Self-Evacuating Drain



- Using Regular Shop Air, Oil Is Easily Transferred From the Drain to the Storage Tank.
- Kit Includes Air Regulator and Safety Relief Valve, 10' Evacuation Hose, Drain Plug and Mounting Hardware

25 Gallon Fuel Chief Poly Gas Caddy with Heavy Duty Pump

SKU 360658
 DOWJDI25GCP1 **699⁹⁹**

- 25-Gallon Tank for Fuel Transfer and Storage
- 10" Pneumatic Tires Move Over Almost Any Surface
- Pump - Two-Way Operation for Either Siphoning or Dispensing
- Pump - 1 Gallon for Every 12 Revolutions
- Includes Grounded Suction Hose



17 Gallon Poly Low Profile Oil Drain

SKU 360671
 DOWJDI17PLP **339⁹⁹**

- Gravity or Waste Oil Pump Assisted, 17-Gallon Capacity
- Made of High-Impact Polypropylene
- Size: 49"L x 29-1/2"W x 7-3/4"H
- T-Handle Folds Easily for Storage and Has Cleats to Hold Discharge Hose



- Perfect for Heavy-Duty Trucks or Low-Profile Specifications
- Ideal for Use With Oils or Antifreeze

Automotive Oil Filter Crusher

2,199⁹⁹

SKU 360662
 DOWAFC10094

- Heavy-Duty Aluminum Frame Cabinet Surrounds High Pressure Hydraulic Hose for Added Safety and Shields Components From Damage
- Easy to Operate: Load the Filter and Close the Door to Activate the Crushing Cycle
- Specially Designed Door Channel Prevents Drips and Leakage, Keeping Oil in the Chamber and Not on the Floor
- Reduce Filter Size By 75% and Remove Over 95% of the Residual Oil
- Operate On Shop Air and Can Be Set Up Anywhere



Floor Stand for Oil Filter Crushers

SKU 360663
 DOWFS300 **399⁹⁹**



Air Compressors

Compressors

8 Gallon Horizontal Air Compressor

SKU 972784
 CM01204-8 **149⁹⁹**

- Peak Horsepower: 2.5 HP
- Voltage: 120 V
- Pump: Oil-Lubricated, Direct Drive
- Tank Size: 8 Gallon
- CFM @ 40 PSI: 4.3 CFM
- CFM @ 90 PSI: 3.5 CFM
- Max. Pressure: 125 PSI
- Net Weight: 61.5 Lbs

In Stock Color May Vary.



5 Gallon Twin Tank Air Compressor

SKU 972778
 CM01203-5 **149⁹⁹**

- Peak Horsepower: 3 HP
- Voltage: 120 V
- Pump: Oil-Lubricated, Direct Drive
- Tank Size: 5 Gallon
- CFM @ 40 PSI: 4.3 CFM
- CFM @ 90 PSI: 3.5 CFM
- Max. Pressure: 125 PSI
- Net Weight: 56 Lbs

In Stock Color May Vary.



6 Gallon Pancake Dolly Air Compressor

SKU 972779
 CM01104-6HA **199⁹⁹**

- Peak Horsepower: 3.0 HP
- Voltage: 120 V
- Pump: Oil-Free, Direct Drive
- Tank Size: 6 Gallon
- CFM @ 40 PSI: 4.3 CFM
- CFM @ 90 PSI: 3.2 CFM
- Max. Pressure: 135 PSI
- Net Weight: 40.5 Lbs

In Stock Color May Vary.



15 Gallon, 3.5 HP Induction Motor Vertical Air Compressor

SKU 298382
 CM01213-15 **259⁹⁹**

- Peak Horsepower: 3.5 HP
- Voltage: 120 V
- Pump: Oil-Lubricated, Direct Drive
- Tank Size: 15 Gallon
- CFM @ 40 PSI: 5.0 CFM
- CFM @ 90 PSI: 4.2 CFM
- Max. Pressure: 125 PSI
- Net Weight: 86 Lbs

In Stock Color May Vary.



15 Gallon Vertical Air Compressor

SKU 972782
 CM01108-15 **249⁹⁹**

- Peak Horsepower: 5.5 HP
- Voltage: 120 V
- Pump: Oil-Free, Belt Driven
- Tank Size: 15 Gallon
- CFM @ 40 PSI: 6.0 CFM
- CFM @ 90 PSI: 4.0 CFM
- Max. Pressure: 135 PSI
- Net Weight: 70 Lbs

In Stock Color May Vary.



11 Gallon, 3.5 HP Induction Motor Horizontal Air Compressor

SKU 298380
 CM01205-11 **209⁹⁹**

- Peak Horsepower: 3.5 HP
- Voltage: 120 V
- Pump: Oil-Free, Direct Drive
- Tank Size: 11 Gallon
- CFM @ 90 PSI: 4.0 CFM
- Max. Pressure: 125 PSI
- Net Weight: 74.5 Lbs

In Stock Color May Vary.



5 Gallon Twin Tank Air Compressor

SKU 972783
 CM01118-5 **349⁹⁹**

- Peak Horsepower: 5.5 HP
- Voltage: 120 V
- Pump: Oil-Free, Direct Drive
- Tank Size: 5 Gallon
- CFM @ 40 PSI: 7.3 CFM
- CFM @ 90 PSI: 5.4 CFM
- Max. Pressure: 125 PSI
- Net Weight: 81 Lbs

In Stock Color May Vary.



25 Gallon Vertical Air Compressor

SKU 972780
 CM01213-25 **299⁹⁹**

- Peak Horsepower: 5.5 HP
- Voltage: 120 V
- Pump: Oil-Lubricated, Direct Drive
- Tank Size: 25 Gallon
- CFM @ 40 PSI: 5.5 CFM
- CFM @ 90 PSI: 4.2 CFM
- Max. Pressure: 125 PSI
- Net Weight: 117 Lbs

In Stock Color May Vary.



Portable Air Tanks

5 Gallon Portable Air Tank

SKU 972791
 CM02301 **29⁹⁹**

- Tank Size: 5 Gallon
- Max. Pressure: 125 PSI
- Net Weight: 13.80 Lbs
- Comes Fully Assembled and Ready to Use
- Brass Manifold with Air Line Shut Off Valve
- One Port for Universal Use
- Includes 4' x 1/4" NPT Air Hose with Chuck

In Stock Color May Vary.



10 Gallon Portable Air Tank

SKU 972775
 CM02304 **39⁹⁹**

- Tank Size: 10 Gallon
- Max. Pressure: 125 PSI
- Net Weight: 27 Lbs
- Comes Fully Assembled and Ready to Use
- Brass Manifold with Air Line Shut Off Valve
- One Port for Universal Use
- Includes 4' x 1/4" NPT Air Hose with Chuck

In Stock Color May Vary.

Gasoline Compressors

9 Gallon Wheel Barrow Air Compressor

SKU 972785
 CM01303-9 **499⁹⁹**

- Peak Horsepower: 6.5 HP
- Pump: Oil-Lubricated, Belt Driven
- Tank Size: 9 Gallon
- CFM @ 40 PSI: 10.2 CFM
- CFM @ 90 PSI: 8.5 CFM
- Max. Pressure: 125 PSI
- Net Weight: 137 Lbs

In Stock Color May Vary.



Note: Units are not California CARB Compliant, and are not for sale to residents in the state of California

Portable Air Compressors

1 Gallon Portable Air Compressor

SKU 972786
 CM01101-1 **59⁹⁹**

- Voltage: 120 V
- Pump: Oil-Free, Direct Drive, Single Stage
- Tank Size: 1 Gallon
- CFM @ 40 PSI: 1.0 CFM
- CFM @ 90 PSI: .07 CFM
- Max. Pressure: 100 PSI
- Net Weight: 14 Lbs

2 Gallon Hotdog Air Compressor

SKU 972781
 CM01101 **69⁹⁹**

- Voltage: 120 V
- Pump: Oil-Free, Direct Drive, Single Stage
- Tank Size: 2 Gallon
- CFM @ 40 PSI: 1.0 CFM
- CFM @ 90 PSI: .07 CFM
- Max. Pressure: 100 PSI
- Net Weight: 18 Lbs

In Stock Color May Vary.



2 Gallon, DC Motor Pancake Air Compressor

SKU 298381
 CM01101P-2 **74⁹⁹**

- Voltage: 120 V
- Pump: Oil-Free, Direct Drive, Single Stage
- Tank Size: 2 Gallon
- CFM @ 40 PSI: 1.0 CFM
- CFM @ 90 PSI: 0.7 CFM
- Max. Pressure: 100 PSI
- Net Weight: 17.5 Lbs

In Stock Color May Vary.



Air Compressors

Gasoline Compressors

13 HP 30 Gallon Horizontal with HONDA Engine

SKU 110306
OEMTUK13030HGE **2,349⁹⁹**

- Gas Powered Honda Engine
- CFM: 22 @ 90 PSI



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

OEM® 5.5 HP 30 Gallon Horizontal with HONDA Engine

SKU 110298
OEMPUK5530G **1,099⁹⁹**

- Gas Powered Honda Engine
- CFM: 10.5 @ 90 PSI

Two Stage 8 HP 30 Gallon Horizontal with HONDA Engine

SKU 979920
OEMTUE8030HGE **1,799⁹⁹**

- Gas Powered Honda Engine
- CFM: 15 @ 90 PSI

14HP, 30 Gallon Gas Air Compressor

SKU 186417
IRT2475F14G **2,399⁹⁹**

- 14 HP Kohler Four Cycle Engine
- CFM 25 @ 175 PSI

13 HP 30 Gallon Horizontal with HONDA Engine

SKU 110435
IRT2475F13GH **2,539⁹⁹**

- Gas Powered Honda Engine
- CFM: 25 @ 175 PSI
- With Alternator

Lift Gate Service
SKU 262532 IRTLIFTGATE **80⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!



Start Up Kit

SKU 970499
IRT32312936 **72⁹⁹**

- For 2475F13GH 4 Cycle Gas Compressor
- Kit Includes 2 Air Filter Elements, 2 Quarts 4 Cycle Engine Oil, 4 Liters of All Season Synthetic Lube
- Using this Kit Extends Compressor Warranty to 2 Years

Heavy Duty Compressors

2 HP, 20 Gallon Garage Mate Portable Air Compressor

SKU 210436
IRTP15IU-AP **569⁹⁹**

- The Powerful, Portable Compressor for Home and Work
- CFM: 5.7 @ 90 PSI
- Equipped with a Pressure Switch, Pressure Gauge, Regulator, Safety Valve and 6 Ft. Power Cord
- 115 Volt



Lift Gate Service
SKU 262532 IRTLIFTGATE **80⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 5 HP 60 Gallon Vertical

SKU 210433
IRT2340L5 **1,439⁹⁹**

- CFM: 14.7 at 175 PSI
- Automatic Start/Stop Control
- Factory Mounted and Wired Motor Starter



Lift Gate Service
SKU 262532 IRTLIFTGATE **80⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 5 HP 80 Gallon Vertical

SKU 095102
IRT2475N5V **2,399⁹⁹**

- 100% Continuous Duty for Tough Applications
- Factory-mounted and Wired Motor Starter
- Automatic Start/Stop Control
- CFM: 16.8 @ 175 PSI



Lift Gate Service
SKU 262532 IRTLIFTGATE **80⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two-Stage 7.5 HP 80 Gallon Vertical

SKU 210434
IRT2475N75 **2,499⁹⁹**

- CFM: 25.0 at 175 PSI
- Automatic Start/Stop Control Oil Site Enclosed Belt Guard
- Factory Mounted and Wired Motor Starter



Lift Gate Service
SKU 262532 IRTLIFTGATE **80⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two-Stage 10 HP 120 Gallon Horizontal

Fully Packaged
SKU 988891
IRT2545E10VFP **2,899⁹⁹**

- CFM: 35 at 175 PSI
- 230/460 Volt
- 3 Phase Motor
- V Block, Cast Iron Belt Driven Pump



Lift Gate Service
SKU 262532 IRTLIFTGATE **80⁰⁰**

Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Start Up Kit

SKU 970496
IRT32305880 **79⁹⁹**

- 4 Quarts Synthetic Lube and 2 Air Filters
- Use of Kit Extends Compressor Warranty to 2 Years

Ingersoll Rand Lubricant, 1 Quart

SKU 210438
IRT38056602 **13⁹⁹**

- Extends Compressor Pump Warranties from 1 Year to 2 Years



Single Stage 7 HP 60 Gallon Vertical

SKU 110297
OEMPK7060VS **959⁹⁹**

- 230 Volt / Single Phase
- CFM: 20.3 @ 40 PSI / 18.2 @ 90 PSI



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 4.5 HP 60 Gallon Vertical with Magnetic Starter

SKU 110299
OEMTE5060VM **1,079⁹⁹**

- 230 Volt / Single Phase
- Magnetic Starter Included
- CFM: 13 @ 150 PSI



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 5 HP 80 Gallon Vertical

SKU 110300
OEMTN5080VM **1,599⁹⁹**

- 230 Volt / Single Phase
- Magnetic Starter Included
- CFM: 18.4 @ 175 PSI
- Low Oil Shut-off



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 7.5 HP 80 Gallon Vertical

SKU 110301
OEMTUE7580VM **2,199⁹⁹**

- 230 Volt / Single Phase
- Magnetic Starter Included
- CFM: 22.8 @ 175 PSI
- Low Oil Shut-off
- Two Stage Pump



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 10 HP 120 Gallon Horizontal Three Phase

SKU 110305
OEMTUK100120M3 **2,499⁹⁹**

- 230 Volt / Three Phase / 3 Cylinder
- Magnetic Starter Included
- CFM: 32.5 @ 175 PSI
- Low Oil Shut-off



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!

Two Stage 10 HP 120 Gallon Horizontal Single Phase

SKU 110303
OEMTUK100120M1 **2,899⁹⁹**

- 230 Volt / Single Phase / 3 Cylinder
- Magnetic Starter Included
- CFM: 32.5 @ 175 PSI
- Low Oil Shut-off



Leasing Terms Available.
Ask Your AutoZone® Commercial Specialist.
Free Delivery!



Air Compressors

NEW Compressors



Belt Drive Rotary Screw Air Compressors with Dryer

NEW



| SKU | Part # | Price | Belt Driven Rotary Screw Compressor | HP | ACFM @125 PSI | ACFM @150 PSI | Max Pressure | Receiver Tank (gal) | Sound Level (dBA) | L x W x H (Inches) |
|--------|--------------|---------------------|--|-----|---------------|---------------|--------------|---------------------|-------------------|--------------------|
| 344750 | CPTQRS50HPD1 | 5,499 ⁹⁹ | 5 HP 60 Gallon Single Phase Horizontal | 5 | N/A | 16.6 | 150 | 60 | 62 | 56 x 22 x 50 |
| 344753 | CPTQRS75HPD1 | 6,299 ⁹⁹ | 7.5 HP 60 Gallon Single Phase Horizontal | 7.5 | N/A | 21.2 | 150 | 60 | 64 | 56 x 22 x 50 |
| 344765 | CPTQRS10HPD | 7,599 ⁹⁹ | 10 HP 120 Gallon Three Phase Horizontal | 10 | 37 | 33 | 125/150 | 120 | 66 | 73 x 24 x 58 |
| 344776 | CPTQRS15HPD | 8,699 ⁹⁹ | 15 HP 120 Gallon Three Phase Horizontal | 15 | 52 | 47 | 125/150 | 120 | 68 | 73 x 24 x 58 |

Reciprocating Duplex Compressors

| SKU | Part # | Price | Reciprocating Duplex Compressors | HP | Motor Config. | Electrics Volts/Phase | CFM Displ. | CFM @100 PSI | Tank Size (Gallons) | L x W x H (Inches) |
|--------|--------------|---------------------|--|----|---------------|-----------------------|------------|--------------|---------------------|--------------------|
| 344667 | CPTRPC10121D | 4,499 ⁹⁹ | 10 HP 120 Gallon Two Stage Single Phase Horizontal | 10 | 2 x 5 HP | 208-230 / 1 | 44.9 | 37.0 | 120H | 77 x 27 x 56 |
| 344669 | CPTRPC10123D | 4,469 ⁹⁹ | 10 HP 120 Gallon Two Stage Three Phase Horizontal | 10 | 2 x 5 HP | 208-230 / 3 | 44.9 | 37.0 | 120H | 77 x 27 x 56 |
| 344670 | CPTRPC15121D | 4,669 ⁹⁹ | 15 HP 120 Gallon Two Stage Single Phase Horizontal | 15 | 2 x 7.5 HP | 208-230 / 1 | 65.0 | 50.5 | 120H | 77 x 27 x 56 |
| 344722 | CPTRPC15123D | 4,629 ⁹⁹ | 15 HP 120 Gallon Two Stage Three Phase Horizontal | 15 | 2 x 7.5 HP | 208-230 / 3 | 65.0 | 50.5 | 120H | 77 x 27 x 56 |
| 344740 | CPTRPC20123D | 5,899 ⁹⁹ | 20 HP 120 Gallon Two Stage Three Phase Horizontal | 20 | 2 x 10 HP | 208-230 / 3 | 89.0 | 74.5 | 120H | 77 x 27 x 63 |



CPTRPC10123D

Reciprocating Compressors

| SKU | Part # | Price | Reciprocating Compressors | HP | Electrics Volts/Phase | CFM Displ. | CFM @100 PSI | Tank Size (Gallons) | Recommended Dryer | L x W x H (Inches) |
|--------|---------------|---------------------|--|-----|-----------------------|------------|--------------|---------------------|-------------------|--------------------|
| 344627 | CPTRPC561VNS | 1,099 ⁹⁹ | 5 HP 60 Gallon Two Stage | 5 | 208-230 / 1 | 18.6 | 15.3 | 60V | CPXHT-25 | 29 x 20 x 68 |
| 344629 | CPTRPC581V | 2,399 ⁹⁹ | 5 HP 80 Gallon Two Stage Single Phase | 5 | 208-230 / 1 | 22.4 | 18.5 | 80V | CPXHT-25 | 39 x 24 x 77 |
| 344631 | CPTRPC7581V | 2,499 ⁹⁹ | 7.5 HP 80 Gallon Two Stage Single Phase | 7.5 | 208-230 / 1 | 32.5 | 25.3 | 80V | CPXHT-50 | 39 x 24 x 77 |
| 344651 | CPTRPC10123V | 3,899 ⁹⁹ | 10 HP 120 Gallon Two Stage Three Phase Vertical | 10 | 208-230 / 3 | 44.5 | 37.2 | 120V | CPXHT-50 | 41 x 30 x 86 |
| 344658 | CPTRPC10123V4 | 3,899 ⁹⁹ | 10 HP 120 Gallon Two Stage 460 Volt/Three Phase Ver. | 10 | 460 / 3 | 44.5 | 37.2 | 120V | CPXHT-50 | 41 x 30 x 86 |
| 344659 | CPTRPC10123H | 3,699 ⁹⁹ | 10 HP 120 Gallon Two Stage Three Phase Horizontal | 10 | 208-230 / 3 | 44.5 | 37.2 | 120H | CPXHT-50 | 77 x 26 x 59 |
| 344666 | CPTRPC10123H4 | 3,699 ⁹⁹ | 10 HP 120 Gallon Two Stage 460 Volt/Three Phase Hor. | 10 | 460 / 3 | 44.5 | 37.2 | 120H | CPXHT-50 | 77 x 26 x 59 |




CPTRPC10123H

13 HP, 30 Gallon Gasoline Reciprocating Compressor with Honda Engine

SKU 344741
 CPTRPC1330G **2,499⁹⁹**

- Two Stage Gas Driven Horizontal Reciprocating Compressor With Honda Engine
- Manual Pull and Electric Start (12V) with Key Switch
- Easy Pull Tank Drain

| HP | CFM Displ. | CFM @100 PSI | Tank Size (Gallons) | L x W x H (Inches) |
|----|------------|--------------|---------------------|--------------------|
| 13 | 32.5 | 25.3 | 30H | 45 x 19 x 45 |



Lift Gate Service
 SKU 361260 CPTLIFTGATE
110⁰⁰

Air Dryers

High Temperature Refrigerated Air Dryers

NEW



| SKU | Part # | Price | Use With HP | 50" PDP CFM @100 PSIG |
|--------|-------------|---------------------|-------------|-----------------------|
| 344782 | CPTCPXHT25 | 1,999 ⁹⁹ | 5 | 25 |
| 344600 | CPTCPXHT50 | 2,699 ⁹⁹ | 10 | 50 |
| 344614 | CPTCPXHT75 | 3,799 ⁹⁹ | 15 | 75 |
| 344707 | CPTCPXHT100 | 3,999 ⁹⁹ | 20 | 100 |
| 344729 | CPTCPXHT125 | 4,499 ⁹⁹ | 25 | 125 |

- Eliminates Water, Oil and Dirt from Air Systems
- Prevents Damage to Tools and Cylinders, Adding to Their Longevity
- Fewer Finished Product Defects
- Prevents "Fisheye" Paint Splashes
- Reduces Operational Downtime
- Increases Profitability and Productivity
- Eliminates Air Line Purging
- Compact Design for Small Footprint
- Quality Components for Efficient Cooling
- Internal Layout and Enclosure Allow for Quiet Operation



CPTCPXHT50

Piping Systems

RapidAir Compressed Air Piping System - 1/2" Master Kit

SKU 360485
 RAP90500 **139⁹⁹**

- Designed to Easily Install Beneath Walls of New Construction, or on Wall Surfaces of Existing Workshops
- Allows Compressed Air Lines Exactly Where You Want Them, Just Like Electrical Outlets.
- Includes: 2 Air Outlet Kits, 1 Compressor Manifold Kit, 100' Nylon Tubing, and Tubing Cutter



Maxline Compressed Air Piping System - 3/4" Master Kit

SKU 360593
 RAP7500 **249⁹⁹**

- Aluminum Outlets Can Be Placed Where You Need the Compressed Air
- 1/4" NPT Attaches to Your Quick Coupling (Coupling Not Supplied) and Comes With Water Condensate Drain



Accessories

3/8" ID x 1/4" NPT Swivel End Whip Hose

SKU 186489
 IRTWH385 **9⁹⁹**

- 1-1/4 x 1/4" NPT Ends
- Operates up to 200 PSI



100' Manual Steel Hose Reel **OEM**

SKU 291343
 25970 **29⁹⁹**

- Hand Crank With Spring Loaded Axle For Easy Winding
- Mount Horizontally Or Vertically



PVC Air Hose 3/8" x 50'

SKU 266621
 25838 **19⁹⁹**

- 1/4" NPT (M) Ends
- Protective Hose Sleeves
- 350 PSI Max.
- 1400 PSI Burst Pressure



3/8" x 25' Red Rubber Air Hose, 1/4" NPT Male Ends

SKU 978117
 24905 **24⁹⁹**

- 250 PSI Working Pressure



1/2" x 50' Red Rubber Air Hose, 1/2" NPT Male Ends

SKU 978116
 24908 **49⁹⁹**

- 250 PSI Working Pressure

3/8" x 50' Air Hose Reel

SKU 900815
 25979 **79⁹⁹**

- Features a Metal Spring Guide and Smooth Automatic Retracting Spring Coil
- Max Pressure: 300 PSI



3/8" x 50' Value Series Air Hose Reel

SKU 972284
 LIN83753 **122⁹⁹**

1/2" x 50' Value Series Air Hose Reel

SKU 972285
 LIN83754 **144⁹⁹**

- Retractable Delivery Hose
- Durable Heavy Gauge Steel Construction
- Slotted Mounting Base for Easy Installation



*** While Supplies Last**

PVC Air Hose* 3/8" x 25'

SKU 965863
 25867 **9⁹⁹**

- 1/4" NPT (M) Ends
- Protective Hose Sleeves
- 300 PSI Max.
- 1,200 PSI Burst Pressure

PVC Air Hose 3/8" x 50'

SKU 125076
 25837 **14⁹⁹**



3/8" NPT Female Filter Regulator Lubricator

SKU 977537
 IRTC38331810 **179⁹⁹**

- ARO Piggyback Filter/Regulator
- 3/8" Female NPT Inlet and Outlet
- Promotes Extended Tool Life
- Removes Rust, Scale and Condensation
- Provides Constant Preset Air Pressure
- Lubricator Provides Oil to Air Tools



- 3/8" NPT Female Filter Regulator Over Under..... SKU 977535 I RTP39334610 **97⁹⁹**
- 1/2" NPT Female Filter Regulator Lubricator..... SKU 977536 I RTC38341810 **179⁹⁹**
- 1/2" NPT Female General Purpose Filter..... SKU 977534 I RTF35341410 **64⁹⁹**
- 1/2" NPT Female General Purpose Regulator..... SKU 977516 I RTR37341600 **64⁹⁹**